


Decorative Lights



Shine Brighter....



**Mfg. All Type of
Decorative LED Lights & Fixtures**

DEVARSHI INDUSTRIES PRIVATE LIMITED

(AN ISO : 9001:2015 Certified Company)

Plot No. 68, Damanganga Estate, Dungi Faliya, Dharampur Road, Vapi - 396 195.

Customer Care : +91 9586915178 / +91 9173464836

Email : jecorlights@gmail.com / Web : www.jecorlights.com

Mfg. all type of LED LIGHTS & FIXTURES





INTRODUCTION

Jecor is synonym to energy efficient and best quality lighting products across the length and breadth of India. Originally called as Super Lite, a household name for generations, the brand is known for its quality and after-sale services combined with an extensive network of dealers and suppliers across the country.

Jecor is a Lighting company founded by Mr. Devendra Ji Jhunjhunuwala. It is one of the most well known brand among Indian consumers. The company has been operating in India for more than 5 years and its key business areas include LED Indoor Lighting and Outdoor Lighting. a Fancy Light Company, today Jecor becomes the No. 1 Lighting Company in the area of Wall, Outdoor and Hanging Lighting.

Jecor is also a leader in Outdoor LED Lighting. It offers a huge collection of LED products in various categories like Hanging, Outdoor, Mirror and Wall Lights with protective technology. All products are made with higher and innovative technology. So, they are known to increase the quality of consumer's professional.

Jecor is the brand meant to produce innovative products of various types, using LED for both indoor and outdoor usage. These products are meant to be the best substitute and replacement to the lighting products that are currently being used. 'Jecor' products come with in-house modules; drivers are fitted with leading brands of LEDs.

Jecor Products are highly energy efficient, radiation free, eco friendly with excellent durability & light output. Jecor has a range of products under the category of outdoor lights, wall lights, fancy lights & garden lights to meet the various light output demand.



IS 15885
(Part 2/Sec 13):2012



R-72006564
(P.O. No. 11/2015)



Outdoor Led Wall Lights



SL 8091
LED : 2x3W, 2x5W(COB)
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray
Color Temperature : 3000K, 6000K




SL 8091
LED : 1x3W, 2x5W(COB)
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray


Lighting beyond eternity




SL 234
LED : 2x8W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




SL 234
LED : 2x6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




SL 333
LED : 2x6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 2509
LED : 4X3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



SL 7020
LED : 4X3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray




SL 7010
LED : 2X3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray, PKW



Outdoor Led Wall Lights



SL 6060
LED : 3X3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray
Dimensions : Ø 200 mm



SL 8910
LED : 12W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray





SL 2054
LED : 2X3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray
Dimensions : 104 x 101 mm



SL 6060
LED : 2X1W
LED Color : Red, Green, Blue, Yellow
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray
Dimensions : 60 x 43 x H120 mm





SL 6060
LED : 4X1W
LED Color : Red, Green, Blue, Yellow
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray
Dimensions : 60 x 43 x H120 mm




SL 6060
LED : 6X1W
LED Color : Red, Green, Blue, Yellow
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray
Dimensions : 60 x 43 x H120 mm




SL 6060
LED : 6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray
Dimensions : 100 x 100 mm



SL 2004 - Square Lens
LED : 1x3W, 2x3W, 3x3W, 4x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Square Lens
Body Color: Graphite Gray




SL 2004 - Round Lens
LED : 1x3W, 2x3W, 3x3W, 4x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



SL 4002 - Square Lens

LED : 2x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Square Lens
Body Color: Graphite Gray



SL 4004

LED : 4x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



SL 4002 - Round Lens

LED : 2x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




SL 881- 2 Square

LED : 2X5W(COB)
Holder: 2xGU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



SL 881- 1 Square

LED : 1X5W(COB)
Holder: 1xGU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



SL 880- Surface Square

LED : 1X5W(COB)
Holder: 1xGU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




SL 1033

LED : 6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 1034

LED : 8W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 9090

LED : 2x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray
Dimensions : W108 x H176 x D250mm



SL 881- 2 Round

LED : 2X5W(COB)
Holder: 2xGU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



SL 881-1 Round

LED : 1X5W(COB)
Holder: 1xGU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



SL 880- Surface Round

LED : 1X5W(COB)
Holder: 1xGU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



SL 642

LED : 2x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray



SL 642

LED : 4x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray



SL 642

LED : 6x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray



SL 16-19

LED : 2X12W(COB)
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



SL 1046

LED : 1X12W(COB)
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



SL 1046 Surface

LED : 1X12W(COB)
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray

Outdoor Led Foot Lights

Outdoor Led Foot Lights



SL 990 - Square

LED : 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 990 - Round

LED : 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 2911

LED : 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 26A

LED : 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: White



SL 26B

LED : 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: White




SL 26C

LED : 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: White



SL 9306

LED : 6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium ABS with PC Diffuser
Body Color: Graphite Gray




SL 8401 Square

LED : 1X3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, ABS with PC Diffuser
Body Color: Graphite Gray



SL 8401 Round

LED : 1X3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, ABS with PC Diffuser
Body Color: Graphite Gray



SL 25 Square

LED : 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium
Body Color: White



SL 33

LED : 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, ABS with PC Diffuser
Body Color: Graphite Gray




SL 8080

LED : 8W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 8080

LED : 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




SL 25 Round

LED : 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium
Body Color: White




SL 8090

LED : 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium
Body Color: White




SL 9081

LED : 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



Lawn Lights



SL 303 - Bollard

LED: 12W
Color Temperature : 3000K, 6000K
Material: Die-casting with Toughened Glass
Body Color: Graphite Gray




SL 303 - Bollard

LED: 12W
Color Temperature : 3000K, 6000K
Material: Die-casting with Toughened Glass
Body Color: Graphite Gray



SL 303 - Bollard

LED: 12W
Color Temperature : 3000K, 6000K
Material: Die-casting with Toughened Glass
Body Color: Graphite Gray



SL 3500 - Bollard

LED: 12W
Color Temperature : 3000K, 6000K
Material: Die-casting with Toughened Glass
Body Color: Graphite Gray




SL 3500 - Bollard

LED: 12W
Color Temperature : 3000K, 6000K
Material: Die-casting with Toughened Glass
Body Color: Graphite Gray



SL 3500 - Bollard

LED: 12W
Color Temperature : 3000K, 6000K
Material: Die-casting with Toughened Glass
Body Color: Graphite Gray



SL 4545 - Bollard

LED: 12W
Color Temperature : 3000K, 6000K
Material: Die-casting with Toughened Glass
Body Color: Graphite Gray



SL 4545 - Bollard

LED: 12W
Color Temperature : 3000K, 6000K
Material: Die-casting with Toughened Glass
Body Color: Graphite Gray



SL 4545 - Bollard

LED: 12W
Color Temperature : 3000K, 6000K
Material: Die-casting with Toughened Glass
Body Color: Graphite Gray

Lawn Lights



SL 270 - Square Gate Light

Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray
Holder: E-27



SL 270 - Square Gate Light

Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray
Holder: E-27



SL 8802-10''

LED: 15W
Holder: E-27
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 8802-6''

LED: 12W
Holder: E-27
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 270 - Round Wall Light

Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray
Holder: E-27




SL 270 - Round Gate Light

Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray
Holder: E-27



SL 270 - Square Bollard

Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray
Holder: E-27



SL 202 - Bollard

LED: 12W
Color Temperature : 3000K, 6000K
Material: Die-casting with Toughened Glass
Body Color: Graphite Gray



SL 202 - Bollard

LED: 12W
Color Temperature : 3000K, 6000K
Material: Die-casting with Toughened Glass
Body Color: Graphite Gray



SL 202 - Bollard

LED: 12W
Color Temperature : 3000K, 6000K
Material: Die-casting with Toughened Glass
Body Color: Graphite Gray

Lawn Lights



SL 7299 - Wall Light

Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray
Holder: E-27



SL 7299 - Gate Light

Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray
Holder: E-27



SL 7080 - Bollard

LED: 12W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 7080 - Bollard

LED: 12W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

Lawn Lights



SL 888 - Wall Light

LED: 9W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 888 - Bollard

LED: 9W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 7299 - Bollard

Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray
Holder: E-27




SL 7299 - Bollard

Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray
Holder: E-27



SL 7299 - Bollard

LED: 12W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 7080 - Wall Light

LED: 12W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 888 - Bollard

LED: 9W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 888 - Bollard

LED: 9W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 270 - Round Bollard

Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray
Holder: E-27




SL 270 - Round Bollard

Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray
Holder: E-27



SL 188 - Bollard

LED: 12W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 188 - Bollard

LED: 6W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 177 - Bollard

Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray
Holder: 2xE-27

SL 199 - Bollard

LED: 12W
Holder: E-27
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



Led Pole Lights



SL 83038 Round

LED: 50W & 100W
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 83038 Round Head

LED: 50W & 100W
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 83038 Round Gate Light

LED: 50W & 100W
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



Gate Lights



(mm)	Small	Medium	Big
Height	350	385	500
Width	195	220	265
P. Ø	50	60	75

SL 999 Gate Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Medium	Big
Height	350	385	500
Width	195	220	265

SL 999 Wall Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Big
Height	400	520
Width	205	295
P. Ø	60	75

SL 201 Gate Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Big
Height	390	510
Width	205	295

SL 201 Wall Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Big



(mm)	Small	Big
Height	230	390
Width	140	180
P. Ø	50	60

SL 444 Gate Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Big



(mm)	Small	Big
Height	240	380
Width	140	180

SL 444 Wall Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Big



(mm)	Small	Medium	Big
Height	320	440	675
Width	210	260	320

SL 501 Gate Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Medium	Big
Height	320	395	580
Width	210	260	320

SL 501 Wall Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Medium	Big
Height	355	430	585
Width	155	190	265
P. Ø	50	60	75

SL 301 Gate Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Medium	Big
Height	355	420	580
Width	155	190	265

SL 301 Wall Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Medium, Big



(mm)	Dimension
Height	320
Width	155
P. Ø	50

SL 7072 Gate Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: E-27



SL 7072 Wall Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Antique
Holder: E-27

Garden Lights Spike/Base



SL 5100 - Spike

LED: 7W(COB)
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray

SL 5100 Spike with Cap

LED: 7W
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray

SL 5100 Wall Light

LED: 7W
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray

SL 5100 Wall Light with Cap

LED: 7W
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



SL 5100 - Spike

LED: 12W(COB)
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray

SL 5100 Spike with Cap

LED: 12W
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray

SL 5100 Wall Light

LED: 12W
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray

SL 5100 Wall Light with Cap

LED: 12W
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



Garden Lights Spike/Base



SL 4040 - Spike

LED: 7W(COB)
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray

SL 4095 - Spike with Cap

LED: 5W(COB)
Holder: GU-10, MR-16
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray

SL 4095 - Spike

LED: 5W(COB)
Holder: GU-10, MR-16
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



SL 4095 - Wall Light


LED: 5W(COB)
Holder: GU-10, MR-16
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray

SL 4095 - Wall Light with Cap

LED: 5W(COB)
Holder: GU-10, MR-16
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




Inground Led Burial Lights




SL 4050

LED: 1x1W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium,
ABS with PC Diffuser
Body Color: Graphite Gray



SL 4050

LED: 2x1W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium,
ABS with PC Diffuser
Body Color: Graphite Gray




SL 4050

LED: 3x1W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium,
ABS with PC Diffuser
Body Color: Graphite Gray



SL 4050

LED: 4x1W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium,
ABS with PC Diffuser
Body Color: Graphite Gray



SL 5050

LED: 7W(COB)
Colour Temperature: 3000K, 6000K
Material: Stainless Steel, Die-Casting
Aluminium, ABS with Toughened Glass
Body Color: Silver Finish



SL 5050

LED: 12W(COB)
Colour Temperature: 3000K, 6000K
Material: Stainless Steel, Die-Casting
Aluminium, ABS with Toughened Glass
Body Color: Silver Finish



SL 8081

LED: 3W
Colour Temperature: 3000K, 6000K
Material: Main Body Stainless Steel Aluminium,
ABS with Toughened Glass
Body Color: Graphite Gray



Outdoor Bulk-Head Lights



SL Prisma Vertical A

Material: Die-casting Aluminium
with Frosted Glass
Body Color: Black
Holder: B-22



SL Prisma Vertical B

Material: Die-casting Aluminium
with Frosted Glass
Body Color: Black
Holder: B-22




SL Prisma Horizontal A

Material: Die-casting Aluminium
with Frosted Glass
Body Color: Black
Holder: B-22



SL Prisma Horizontal B

Material: Die-casting Aluminium
with Frosted Glass
Body Color: Black
Holder: B-22



Outdoor LED Track Lights




SL 360 Track Light

LED: 9W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium
with Acrylic Lens
Body Color: Graphite Gray, White



SL 180 Track Light

LED: 6W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium
with Acrylic Lens
Body Color: Graphite Gray, White



Indoor LED Wall Lights



SL 28 - 3
LED: 3x5W(COB)
Holder: GU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color:White



SL 27
LED: 3x7W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color:White



SL 28 - 2
LED: 2x5W(COB)
Holder: GU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color:White



SL 27
LED: 2x7W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: White



SL 28 - 1
LED: 1x5W(COB)
Holder: GU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color:White



SL 27
LED: 1x7W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color:White



Indoor LED Wall Lights



SL 29
LED: 3x6W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Diffuser
Body Color:White



SL 29
LED: 2x6W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Diffuser
Body Color: White



SL 29
LED: 1x6W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Diffuser
Body Color:White

Indoor Spot Lights



SL 1080
LED: 12W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Diffuser
Body Color:White



SL 9810
LED: 6W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: White



SL 9198 - Round
LED: 6W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Diffuser
Body Color: White

LED Shelf lights



SL 9198 - Square
LED: 6W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Diffuser
Body Color:White



SL 555
LED: 3W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray
Height: 300mm, 200mm, 100mm



SL 1019 - 1 Round



SL 1019 - 2 Round



SL 1019 - 1 Square



SL 1019 - 2 Square



SL 430 - 1



SL 430 - 2



SL 1210
Size : 12", 14", 16"



SL 1410



SL 8010



SL 1010



SL 7015



SL 8080



SL 8100



SL 1211
Size : 12", 15", 17"



SL 1212



SL 1011



SL 1009



SL 2222
SMALL



SL 1008



SL 1006



SL 6300



SL 6310



SL 1111



SL 1001



SL 2222
BIG



SL 1007



SL 1002



SL 1003



SL 1112



SL 1004

Bollard Light

(SIZE : 300MM, 600MM, 900MM)



SL 1212



SL 1112



SL 1211



SL 2222



SL 1222



SL 2220



SL 1010



SL 1200




SL 1210



Bollard Light



SL 1120



Make customized light manufacturers as a required of interior and architect



DEVARSHI INDUSTRIES PRIVATE LIMITED
 (AN ISO : 9001:2015 Certified Company)
 Plot No. 68, Damanganga Estate, Dungri Faliya, Dharampur Road, Vapi - 396 195.
 Customer Care : +91 9586915178 / +91 9173464836
 Email : jecorlights@gmail.com / Web.: www.jecorlights.com



Shine Brighter.....